

3.0 version of WISER for Palm OS is now available!

Attention Palm OS users: the 3.0 version of WISER for Palm OS is now available! Please go to <http://wiser.nlm.nih.gov> to download it. This release takes the first steps in catching up with recent improvements made for the Windows and Pocket PC platforms, and includes the following updates:

- Latest data updates
- Radioisotope substance list (see the All vs. Chemical vs. Radiological option on the Known Substances list)
- Protective Distance substance data now incorporates the ERG's initial isolation and protective distance ("green section") data
- Help Identify enhancements: in addition to properties and symptoms, now you can also narrow the results list by substance categories and NFPA 704 placards

For Windows and Pocket PC users: please note that the latest version for your platforms is still 3.1 (July 2007). A new download/install is not necessary if you already have this version. If you are still using an older version, you are highly encouraged to upgrade.

For all users, please look for the following additional capabilities in future releases:

- Windows Mobile Smartphone support
- Expansion of the features introduced in 3.x:
 - Additional substance category support, including more categories
 - Additional tools/reference materials for radiologicals and chemicals
- Biological mode: biological substance list and related tools and reference materials
- And more!

We are always eager to hear your feedback and suggestions. Please let us know what you think at <http://wiser.nlm.nih.gov/feedback.html>.

Thank you!

The WISER Team



New York State Department of State
Office of Fire Prevention and Control
41 State Street
Albany, NY 12231-0001

- phone: (518) 474-6746
- fax: (518) 474-3240
- fire@dos.state.ny.us
- <http://www.dos.state.ny.us/fire/firewww.html>